Tunnelling and Tunnel Mechanics: A Rational Approach to Tunnelling (Hardcover)

by Dimitrios Kolymbas (Author)

Hardcover: 437 pages

Publisher: Springer; 1 edition (September 26, 2005)

Language: English

ISBN-10: 3540251960

ISBN-13: 978-3540251965

The book covers not only practical aspects but also the underlying theoretical approaches. It also covers the fundamentals of rock mechanics. It addresses not only students but also professionals who are interested to understand the underlying principles and methods and – possibly – to further develop them. Emphasis is given to the mechanical approach rather than to hardly tractable empirical statements. The text is concise and as far as possible complete and comprises a large list of citations. Publications of the English and German speaking scientific communities have been taken into account.

D. Kolymbas

Tunnelling and Tunnel Mechanics

A Rational Approach to Tunnelling



Convrighted Material

Professor Dr. Dimitrios Kolymbas Universität Innsbruck Fakultät für Bauingenieurwesen und Architektur Institut für Geotechnik und Tunnelbau Technikerstr. 13/III 6020 Innsbruck Austria dimitrios.kolymbas@uibk.ac.at

Library of Congress Control Number: 2005926885

ISBN-10 3-540-25196-0 Springer Berlin Heidelberg New York ISBN-13 978-3-540-25196-5 Springer Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in other ways, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable to prosecution under German Copyright Law.

Springer is a part of Springer Science+Business Media springeronline.com

© Springer-Verlag Berlin Heidelberg 2005 Printed in Germany

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Typesetting: Dataconversion by author
Final processing by PTP-Berlin Protago-T_EX-Production GmbH, Germany
Cover-Design: medionet AG, Berlin
Printed on acid-free paper 62/3141/Yu – 5 4 3 2 1 0

Contents

| Pa | art I | Design | | | | | | | |
|----|-------|--------------|--|----|--|--|--|--|--|
| 1 | Int | Introduction | | | | | | | |
| | 1.1 | Benefi | ts from tunnelling | 3 | | | | | |
| | 1.2 | | ical review | 3 | | | | | |
| | 1.3 | | ons in tunnelling | 6 | | | | | |
| | 1.4 | | sections | 7 | | | | | |
| | | 1.4.1 | Road tunnels | 15 | | | | | |
| | | 1.4.2 | Rail tunnels | 17 | | | | | |
| | 1.5 | Alignn | nent | 18 | | | | | |
| | 1.6 | 100 | ground water conduits | 20 | | | | | |
| | 1.7 | | ards and Recommendations | 22 | | | | | |
| | 1.8 | | | 24 | | | | | |
| | 1.9 | | ing and contracting | 25 | | | | | |
| | | 1.9.1 | Cost and time management | 28 | | | | | |
| | | 1.9.2 | Experts | 29 | | | | | |
| 2 | Ins | tallation | s in tunnels | 31 | | | | | |
| | 2.1 | Install | ations for traffic control | 31 | | | | | |
| | 2.2 | Install | Installations for telecommunication | | | | | | |
| | 2.3 | | entilation | | | | | | |
| | | 2.3.1 | Ventilation during construction | 32 | | | | | |
| | | 2.3.2 | Design of construction ventilation | 35 | | | | | |
| | | 2.3.3 | Ventilation of road tunnels | 37 | | | | | |
| | | 2.3.4 | Control of ventilation | 41 | | | | | |
| | 2.4 | Fire p | rotection | 42 | | | | | |
| | | 2.4.1 | Fire-resistant concrete | 45 | | | | | |
| | | 2.4.2 | Fire detectors and extinguishers | 46 | | | | | |
| | | 2.4.3 | Example: Refurbishment of the Montblanc tunnel | 48 | | | | | |
| | 2.5 | Illumin | nation of road tunnels | 49 | | | | | |
| | 2.6 | | ıge | 52 | | | | | |

| X | C | ontents | | | | | |
|---|------|--|--|--|--|--|--|
| | 2.7 | Examples for the equipment of modern road tunnels 53 | | | | | |
| | 2.8 | Rating of safety in road tunnels 55 | | | | | |
| 3 | Inve | stigation and description of the ground 57 | | | | | |
| | 3.1 | Geotechnical investigations | | | | | |
| | | 3.1.1 Preliminary investigation | | | | | |
| | | 3.1.2 Main site investigation | | | | | |
| | | 3.1.3 Investigation during and after construction 59 | | | | | |
| | 3.2 | Site investigation | | | | | |
| | | 3.2.1 Exploration drilling | | | | | |
| | 3.3 | Geophysical exploration | | | | | |
| | 3.4 | Joints | | | | | |
| | 3.5 | Weathering | | | | | |
| | 3.6 | Rock rating and classification | | | | | |
| | | 3.6.1 RMR-System | | | | | |
| | | 3.6.2 Q-system | | | | | |
| | 3.7 | Reports 72 | | | | | |
| 4 | Hea | ling | | | | | |
| | 4.1 | Full face and partial face excavation | | | | | |
| | 4.2 | Excavation | | | | | |
| | 4.3 | Drill & blast | | | | | |
| | | 4.3.1 Drilling of blastholes | | | | | |
| | | 4.3.2 Charging | | | | | |
| | | 4.3.3 Tamping 86 | | | | | |
| | | 4.3.4 Ignition | | | | | |
| | | 4.3.5 Distribution of charges and consecution of ignition 87 | | | | | |
| | | 4.3.6 Explosives | | | | | |
| | | 4.3.7 Explosive consumption 89 | | | | | |
| | | 4.3.8 Safety provisions | | | | | |
| | | 4.3.9 Ventilation | | | | | |
| | | 4.3.10 Backup | | | | | |
| | | 4.3.11 Shocks and Vibrations 90 | | | | | |
| | 4.4 | Shield heading | | | | | |
| | | 4.4.1 Shield heading in groundwater | | | | | |
| | | 4.4.2 Tunnelling with box- or pipe-jacking 109 | | | | | |
| | | 4.4.3 Microtunnels | | | | | |
| | | 4.4.4 Speed of advance | | | | | |
| | | 4.4.5 Drive-in and drive-out operations | | | | | |
| | | 4.4.6 Problems with shield heading | | | | | |
| | 4.5 | Comparison of TBM with conventional heading | | | | | |
| | 4.6 | Rock excavation | | | | | |
| | | 4.6.1 Drilling of boreholes | | | | | |
| | | 4.6.2 Rock execution with disc outters 118 | | | | | |

| | | | Contents | XI |
|---|--------|--|----------|-------|
| | | 4.6.3 Abrasion | | 124 |
| | | 4.6.4 Drilling: history review | | |
| | 4.7 | Profiling | | |
| | 4.8 | Mucking | | |
| | 4.0 | Midealing | | . 121 |
| 5 | Sup | port | | . 131 |
| | 5.1 | Basic idea of support | | . 131 |
| | 5.2 | Shotcrete | | . 132 |
| | | 5.2.1 Steel fibre reinforced shotcrete (SFRS | 8) | . 136 |
| | | 5.2.2 Quality assessment of shotcrete | | . 137 |
| | 5.3 | Steel meshes | | |
| | 5.4 | Rock reinforcement | | . 137 |
| | | 5.4.1 Connection with the adjacent rock | | . 138 |
| | | 5.4.2 Tensioning | | . 142 |
| | | 5.4.3 Testing | | . 143 |
| | | 5.4.4 Application | | |
| | 5.5 | Timbering | | |
| | 5.6 | Support arches | | |
| | 5.7 | Forepoling | | |
| | 5.8 | Face support | | |
| | 5.9 | Sealing | | |
| | 5.10 | Recommendations for support | | |
| | 5.11 | Temporary and permanent linings | | |
| | 5.12 | Permanent lining | | |
| | | 5.12.1 Reinforcement of the permanent lining | | |
| | | 5.12.2 Quality assessment of the lining | | |
| | 5.13 | Single-shell (monocoque) lining | | |
| 6 | Gro | uting and freezing | | 150 |
| | 6.1 | Low pressure grouting | | |
| | 6.2 | Soil fracturing, compensation grouting | | |
| | 6.3 | Jet grouting | | |
| | 6.4 | Grouts | | |
| | 6.5 | Rock grouting | | |
| | 6.6 | Advance grouting | | |
| | 6.7 | Soil freezing | | |
| | | 6.7.1 Frost heaves | | |
| | 6.8 | Propagation of frost | | |
| | n 1222 | | | |
| 7 | | New Austrian Tunnelling Method | | |
| | 7.1 | HSE Review | | 173 |

| 37.71 | - | | - 4 | | |
|-------|-----|-------|-----|-------|--------|
| XI | - (| 01 | n E | OT | UT: I |
| | | /4.63 | 45 | N-184 | 8.30-6 |

| 8 | Man | agement of groundwater | | | | | |
|----|--------------------|---|--|--|--|--|--|
| | 8.1 | Flow within rock | | | | | |
| | | 8.1.1 Porosity of rock | | | | | |
| | | 8.1.2 Pore pressure | | | | | |
| | | 8.1.3 Permeability of rock | | | | | |
| | 8.2 | Inflow in the construction phase | | | | | |
| | 8.3 | To drain or to seal? | | | | | |
| | 8.4 | Drainage | | | | | |
| | 8.5 | Water ingress into a drained circular tunnel | | | | | |
| | | 8.5.1 Seepage force | | | | | |
| | 8.6 | Influence of drainage | | | | | |
| | 8.7 | Sealing (waterproofing) | | | | | |
| | 8.8 | Geosynthetics in tunnelling | | | | | |
| 2 | | 107 | | | | | |
| 9 | | lication of compressed air | | | | | |
| | 9.1 | Health problems | | | | | |
| | 9.2 | Influence on shotcrete | | | | | |
| | 9.3 | Blow-outs | | | | | |
| 10 | Subaqueous tunnels | | | | | | |
| | 10.1 | Towing and lowering method | | | | | |
| | 10.2 | Caissons | | | | | |
| 11 | Shaf | ts211 | | | | | |
| 11 | 11.1 | Driving of shafts | | | | | |
| | 11.2 | | | | | | |
| | 11.2 | Earth pressure on shares | | | | | |
| 12 | Safe | ty during construction | | | | | |
| | 12.1 | 2 THE NOTE OF THE STATE OF THE | | | | | |
| | 12.2 | Electrical installations in tunnelling | | | | | |
| | | 12.2.1 Hazards due to failure of vital installations | | | | | |
| | | 12.2.2 Special provisions | | | | | |
| | | 12.2.3 Energy supply of excavation machines | | | | | |
| | | 12.2.4 Illumination during construction | | | | | |
| | 12.3 | Controls | | | | | |
| | 12.4 | | | | | | |
| | 12.5 | Emergency plan and rescue concept | | | | | |
| | 12.6 | G Quantification of safety | | | | | |
| | 12.7 | Collapses | | | | | |
| | | 12.7.1 Heathrow collapse | | | | | |

Contents XIII

| Pa | rt II | Tunnelling Mechanics |
|----|-------|--|
| 13 | Beha | viour of soil and rock |
| | 13.1 | Soil and rock |
| | 13.2 | General notes on material behaviour |
| | 13.3 | Elasticity |
| | 13.4 | Plasticity |
| | 13.5 | Strength |
| | 10.0 | 13.5.1 Strength of soil |
| | | 13.5.2 Strength of rock |
| | | 13.5.3 Brittle and ductile behaviour |
| | 13.6 | Post-peak deformation |
| | 15.0 | 13.6.1 Point load test |
| | | 13.6.2 Griffith's theory |
| | | 13.6.3 Acoustic emission |
| | | 13.6.4 Friction of joints |
| | 13.7 | Anisotropy |
| | 13.8 | Rate dependence and viscosity of soil and rock |
| | | Size effect |
| | 13.9 | 13.9.1 Size effect in rock |
| | | |
| | | 13.9.2 Size effect in soil |
| | 12.10 | 13.9.3 Rodionov's theory |
| | | Discrete models |
| | | Rock mass strength |
| | | Swelling |
| | 13.13 | Field tests |
| 14 | | s and deformation fields around a deep circular tunnel 271 |
| | 14.1 | Rationale of analytical solutions |
| | 14.2 | Some fundamentals |
| | 14.3 | Geostatic primary stress |
| | 14.4 | Hydrostatic primary stress |
| | 14.5 | Plastification |
| | | 14.5.1 Consideration of cohesion |
| | 14.6 | Ground reaction line |
| | 14.7 | Pressuremeter, theoretical background |
| | 14.8 | Support reaction line |
| | 14.9 | Rigid block deformation mechanism for tunnels and shafts 290 |
| | 14.10 | Squeezing |
| | | 14.10.1 Squeezing as a time-dependent phenomenon293 |
| | | 14.10.2 Neglecting time-dependence |
| | | 14.10.3 Interaction with support |
| | | 14.10.4 Squeezing in anisotropic rock |
| | 14.11 | Softening of the ground |

| 30.7 | EX.F | 0 | | | | |
|------|------|----|------------------|---|--------------|----|
| X | LV. | Co | $_{\mathrm{nt}}$ | e | \mathbf{n} | LS |

| 15 | Supp | porting action of anchors/bolts | | | | | |
|----|---------------------------|--|--|--|--|--|--|
| | 15.1 | Impact of pattern bolting | | | | | |
| | | 15.1.1 Ground stiffening by pre-stressed anchors 307 | | | | | |
| | | 15.1.2 Pre-stressed anchors in cohesive soils | | | | | |
| | | 15.1.3 Stiffening effect of pattern bolting | | | | | |
| 10 | C | 212 | | | | | |
| 10 | | e approximate solutions for shallow tunnels | | | | | |
| | 16.1 | Janssen's silo equation | | | | | |
| | 16.2 | Trapdoor | | | | | |
| | 16.3 | Support pressures at crown and invert | | | | | |
| | 16.4 | Forces acting upon and within the lining | | | | | |
| | 16.5 | Estimations based on the bound theorems | | | | | |
| | | 16.5.1 Lower bound of the support pressure | | | | | |
| | | 16.5.2 Upper bound of the support pressure | | | | | |
| 17 | Stab | ility of the excavation face | | | | | |
| | 17.1 | Approximate solution for ground with own weight329 | | | | | |
| | 17.2 | Numerical results | | | | | |
| | 17.3 | Stability according to the bound theorems | | | | | |
| | 17.4 | Stand-up time of the excavation face | | | | | |
| 18 | Eart | Earthquake effects on tunnels | | | | | |
| - | 18.1 | General remarks | | | | | |
| | 18.2 | Imposed deformation | | | | | |
| 10 | Settlement of the surface | | | | | | |
| 19 | 19.1 | Estimation of settlement | | | | | |
| | | Reversal of settlements with grouting | | | | | |
| | 19.2 19.3 | Risk of building damage due to tunnelling | | | | | |
| | | | | | | | |
| 20 | | ility problems in tunnelling | | | | | |
| | 20.1 | Rockburst | | | | | |
| | 20.2 | Buckling of buried pipes | | | | | |
| | | 20.2.1 Buckling of pipes loaded by fluid | | | | | |
| | | 20.2.2 Buckling of elastically embedded pipes | | | | | |
| 21 | Mon | itoring | | | | | |
| | 21.1 | Levelling | | | | | |
| | 21.2 | Monitoring of displacements and convergence | | | | | |
| | 21.3 | Extensometers and inclinometers | | | | | |
| | 21.4 | Monitoring stresses within the lining | | | | | |
| | 21.5 | Measurement of primary stress | | | | | |
| | | 21.5.1 Hydraulic fracturing | | | | | |
| | | 21.5.2 Unloading and compensation methods | | | | | |
| | 21.6 | Cross sections for monitoring | | | | | |

| | | C | ontents | XV | | | |
|-----|-------------------------------|--|---------|-------|--|--|--|
| 22 | Numerical analysis of tunnels | | | | | | |
| | 22.1 | | | | | | |
| | | 22.1.1 Initial and boundary conditions | | | | | |
| | | 22.1.2 Coping with non-linearity | | | | | |
| | | 22.1.3 Constitutive equation | | | | | |
| | 22.2 | | | | | | |
| | 22.3 | BEST CONTROL C | | | | | |
| Pa | rt III | I Appendices | | | | | |
| A | Phys | vsics of detonation | | . 379 | | | |
| | A.1 | Detonation | | | | | |
| | A.2 | | | | | | |
| | A.3 | | | | | | |
| В | Supp | pport of soil with a pressurised fluid | | . 385 | | | |
| C | A si | imple analytical approximation for frost propaga | ation | . 387 | | | |
| D | | orous solution for the steady water inflow to a onel | | . 393 | | | |
| E | Aero | odynamic pressure rise in tunnels | | . 397 | | | |
| F | Mul | ltiphase model of reinforced ground | | . 399 | | | |
| G | Defo | formation of a tunnel due to seismic waves | | . 403 | | | |
| Н | A ra | ational approach to swelling | | . 405 | | | |
| Gle | ossar | ry | | . 409 | | | |
| | 9.1 | English - German | | . 410 | | | |
| | 9.2 | German - English | | . 419 | | | |
| Inc | lex | | | . 429 | | | |